

I'm not robot!



Installed in eq. The damping of the DC component in the input current is not constant, but usually slow due to the inherent low losses in shunt reactors. 104 6.7.4 Dissolved Gases Analysis ..... 104 6.7.2.1 Gases dissolved in petroleum oil 50 Figure 31 Differential currents of a 1% curve for ground failure in the L1 phase at level n Point of a 150 MVA, 220 kv. 50Hz shunt reactor ..... 165 Table 27 Frequency of commutation - reactors of tertiary connected derivation ..... 41 curve failures can also be caused by excessive water in the isolation paper, which can increase the water vapor bubbles when the Temperature increases, thus creating a low resistant region that leads to the ELA TRICO arc. If 40 are not detected quickly, they will evolve into an important failure. 34 Line reactor Figure 19 Solidly grounded three -phase reactor directly connected to the line bus or line reactor reactor Figure 20 Figure 20 three -phase and neutral reactor connected to the bus or line by means of switch or switch or Breakdown 3.1.2 Tertiary winding Reactors Connected These reactors are usually grounded and can be changed by the switch or circuit breaker. The loss of magnetization in the action of the n° Core also increases approximately the square of the density of the flow. If the greatest difference in tension between the windings at the top of the derivation reactor exceeds the no capacitive isolation, the insulation material deteriorates and causes a curve failure between two windings. 51 Figure 32 Example - Characteristics of firing for a differential protection of low impedance number of two stupids applied to a derivation reactor. 180 Figure 111 VERIENCE RIVER AID NOT CROUNDED FOR DISTRIBUTION BY VOLTAGE ... 56 5.1.2.3 NOTES OF APPLICATIONS PROTECTION OF REF ..... 2 eq. The second harm is predominant, but very dependent on the 29 degrees of CC displacement. Compensate for the reactive energy line loading energy of the open circuit line. 23 To derive the tension of magnetization and the total magnet flow, the recursive equations (Euler [Ref 3]) are used in Eq. 2.2.4.2 2nd of harmful input in a derivation reactor does not appear as a differential current like the one that appears in a transformer unless CT CT arugiF 55 ..... ofAssimsnart ed ahnil ad lanif oa sodanoicida tuhs ed serotaer moc ~â-lanimon otuicrC 42 arugiF 73

leviÁtpada CD ed ohloV 1.7 511 ,sepÁšAdnemocer odniulcni ,soditucsid ofÁs otnemarotinom o e elortnoc O ,socin Ámrah iÁritsixe ofÁn ,oirÁtisnart odatsé olep otecxE ,ametsis od ofEÁsnet a razilibatse ,missa ,e agrac axiab ed sepÁšAidnoc me saer©Áa sahnli rop adareg avitaer aigrene ed ossecxe o rimusnoc ©Á ofEÁšÁnuf auS ,qe n EF 7 Á Á Á ½Á ½Á \*Á 1-Á ~â K K 9Á Á 11 Á 1\*Á ~â Á K 9Á Á H :Li etnaziengam etnerroc a eluciaC N -E Á EPA Á 1-Á ~â Á K 9Á Á Á Á Á Á ½Á Á 1-Á ~â Á K 9Á ÁB 62. .... ofAssimsnart ed ahnil ad lanif oa sodanoicida tuhs ed serotaer moc ~â-lanimon otuicrC 42 arugiF 73

arugiF an odartsom omoc ,setnerroc sasse 9Áv 9 laicnerefid ofEÁšÁetorp a ,salen setnererefid sagrac uo ,sodal so sobma ed STC on siautneve sašÁnererefid samugla moc ,)HSURNII( aicnÁÁtop ed ametsis oa odatsenoc etneper ed ofEÁšÁavired ed rotaer mU 77 ARUGIF 611 .siÁg ed olumÁca o e lanoicarepo arutarepmet ad anretni ofÁsserp a matnemua sam ,esaf ed setnerroc san ašÁnadum aneugep amu omoc mašÁemoc atlov Á atlov ed sahlaf sÁ ,sianoicidart axif ofEÁšÁavired ed serotaer so moc ofEÁšÁarapmoc me soicÁfeneb soiriÁv zart edadilibairav A ?arof e ortned sodacretni odnes ofEÁtse ofEÁšÁavired ed serotaer so aicnÁAuqerf euq moC :oiriÁnoitseuQ 2.5.01 361 .serodamrofsnartotua ed

oiriÁicret otnemalorne oa sodatcenoc ofEÁšÁavired ed serotaer 85 arugiF 28 .odÁurtsnoc iÁtse aroga oelcÁAn o ,roder oa e setocap sessed ortneD ?sodasa odnes ofEÁtse otnemarreta ed sodot©Ám siauQ :atnugreP 3.2.01 151 .)llehs ed opit od oelcÁAn uo( BMIL-5 ocisiÁfirt oelcÁAn mu rasu araP .otnemacolsed ed suarg setnererefid arap adartne ed ocip ed etnerroc e ocin Ámrah odnuges od ovitaler odÁAetnoc od olpmexE 51 arugiF 03 ..... sodatcenoc etnematerid ofEÁšÁavired ed serotaer - sadno ed ofEÁšÁatumoc an otroP 82 alebaT 561 .etnatsnoc CD ed opmet ognol oa odived opmet mugla ed siopeD Failure in the restricted land of high impairment During the condition of external failure ..... ..

